

# Estimating carbon balance of terrestrial ecosystems

Galina Churkina  
MPI-Biogeochemistry

Mona Vetter<sup>1</sup>, Martin Heimann<sup>1</sup>, Youmin Chen<sup>1</sup>, Martin Jung<sup>1</sup>,  
Philippe Peylin<sup>4</sup>, Markus Reichstein<sup>1,2,3</sup>, Pascale Smith<sup>4</sup>, Nicolas  
Viovy<sup>4</sup>, Sönke Zaehle<sup>3,4</sup>, Alberte Bondeau<sup>3</sup>, Frauke Feser<sup>5</sup>

<sup>1</sup> MPI-BGC, Jena, Germany

<sup>2</sup> University of Tuscia, Viterbo, Italy

<sup>3</sup> PIK, Potsdam, Germany

<sup>4</sup> LSCE, Gif sur Yvette, France

<sup>5</sup> GKSS, Geesthacht, Germany




# What is the role of the European continent in the global carbon cycle?

- CarboEurope Integrated Project is EU-funded research project
- Participants: more than 60 research centres from more than 15 countries
- Timeframe: 5-year, starting January 2004



# Integrating top-down with bottom-up approaches




# Climate Drivers

- Requirements:
  - Spatial resolution: 0.25/0.25 lat/lon
  - Temporal resolution: daily (hourly)
  - Timeframe 1950(1960)-2004(2005)
  - Variables:
    - precipitation
    - max and min air temperatures
    - downward solar radiation
    - vapor pressure deficit
- Possible candidates considered: NCEP, PIK-CRU, ECMWF, and REMO

# Applications of REMO variables




- Testing REMO data quality for EUROPE (Y. Chen et al. MPI report)
  - Comparison between variables from REMO and from other climate datasets (NCEP, CRU, ECMWF)
  - Comparison of REMO variables with observations
- Estimation of uncertainties in modeled vegetation gross primary productivity (GPP) (M. Jung et al. paper in preparation)
- Simulation of 2003 summer drought effect on European carbon balance (M. Vetter et al. in preparation)

# Comparison of REMO variables with site level observations






# Air temperature: comparison with observations

**REMO**




**ECMWF**




# Precipitation: comparison with observations

**REMO**






**ECMWF**






# Radiation: comparison with observations


REMO



ECMWF



# Climate drivers as source of uncertainties in carbon uptake




# Hierarchy of uncertainties in modeled carbon uptake



- General:
  - Land cover maps → small
  - Land cover resolutions → relatively small
  - Meteorological data sets → large
  - Carbon cycle models → very large
- Climatology:
  - Issues of interannual variation: primarily radiation & precipitation
  - Issues of spatial pattern: primarily precipitation

# Climate Anomalies in 2003

2003 May-September Temperature and Water Balance Anomaly



# Climate and carbon anomalies in 2003



Spatial anomaly = NEP in 2003 – NEP average 1998-2002

Vetter et al. in preparation

# Summary/Future plans

- High quality climate drivers are critical for accurate carbon balance estimation
- Improvement of REMO's precipitation and solar radiation would be desirable
- Within CARBOEUROPE project REMO will be used as benchmark climate drivers (data for 2006, 2007)